Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	61	(lock$3 or pin$4) with initializ$5 same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/27 06:47
L2	7	(lock$3 or pin$4) with (initializ$5 near3 data) same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/27 06:59
L3	2	("2003/0005223").URPN.	USPAT	OR	ON	2005/03/27 06:48
L4	4	(lock$3 or pin$4) with (boot$5 near3 data) same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/27 07:01
L5	9	(lock$3 or pin$4) with (start$5 near3 data) same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/27 07:01
S1	244	((lock$3 or pin$4) same cache) same initializ$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:04
S2	87	((lock$3 or pin$4) same cache) same initializ$5 with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 21:49
S3	29661	(system or computer) near3 (initiali$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:03
S4	4792	((lock$3 or pin$4) same cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:04
S5	22	S3 same S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:10

S6	1511	((lock$3 or pin$4) near3 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:05
S7	5	S3 same S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:07
S8	74	((prohibit$3 or prevent$3) near3 (evict$3 or delet$3 or eras$3 or dismis$4 or eject$3)) with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:10
S9	1	S3 same S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:14
S10	77	((prohibit$3 or prevent$3 or stop$3) near3 (evict$3 or delet$3 or eras$3 or dismis$4 or eject$3)) with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:17
S11	1	S3 same S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:14
S12	2948	(evict$3 or delet$3 or eras$3 or dismis$4 or eject$3) with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:14
S13	5	S3 same S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:14
S14	44	S10 and (lock$3 or pin$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:31
S15	29004	Initialization and (lock$3 or pin$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:32

S16	520	Initialization near3 (lock$3 or pin$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:33
S17	1889	Initialization with (lock$3 or pin$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:33
S18	40	"711"/$.ccls. and (Initialization near3 (lock$3 or pin$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:41
S19	20	(System adj Initialization) near3 (lock$3 or pinn$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:49
S20	46	(System adj Initialization) with (lock$3 or pinn$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:46
S21	33	(System adj Initialization) near3 (protect$3 or guard$3 or preserv$3 or secur$3 or defend$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:58
S22	37	(System adj Initialization) with (protect$3 or guard$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 22:59
S23	11	(System adj Initialization) near3 (protect$3 or guard$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 23:02
S24	0	(System adj Initialization near3 data) with (important or imperative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 23:03
S25	2	(Initialization adj data) with (important or imperative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 23:42

S26	27	(Initialization adj data) with (safe or secure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 23:06
S27	13	(Initialization adj data) near3 (safe or secure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 23:07
S28	2	"6044478".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 23:16
S29	2	"5694567".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 23:19
S30	11	((non-volatile or nonvolatile or (non adj volatile)) near2 cache) with (lock$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 23:23
S31	25	((non-volatile or nonvolatile or (non adj volatile)) near2 cache) same (lock$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 23:23
S32	1	(boot adj data) with (important or imperative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 23:43
S33	1	(boot adj data) with (lock$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 23:46
S34	1	"20011214".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 23:45
S35	1	(startup adj data) with (lock$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 23:47

S36	1	((startup or start-up or (start adj up)) adj data) with (lock$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 23:48
S37	3851	(lock$3 or pin$4) same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/27 06:46
S38	131	((lock$3 or pin$4) same cache) and 711/145.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 12:44
S39	8	(((lock$3 or pin$4) same cache) same initializ$5) and 711/145.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:03
S40	1092	(pinning or pin or pinned) same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 13:19
S41	52167	system near3 (initializ$5 or start-up or (start adj up) or start or boot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 13:13
S42	8	((pinning or pin or pinned) same cache) same (system near3 (initializ$5 or start-up or (start adj up) or start or boot))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 13:15
S43	16	711/145.ccls. and ((pinning or pin or pinned) same cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 13:19
S44	112	(pinning or pinned) same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 13:19
S45	30733	pinning or pinned	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 13:20

S46	2	711/145.ccls. and (pinning or pinned)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 13:25
S47	1078957	pinning or pinned or lock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 13:32
S48	141	711/145.ccls. and (pinning or pinned or lock$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 13:32
S49	77	711/145.ccls. and ((pinning or pinned or lock$3) near5 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 13:33
S50	12	((pinning or pinned or lock$3) near5 cache) same metadata	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 13:58
S51	20	((pinning or pinned or lock$3) near5 (cache or memory or storage or disk or disc or volume)) same metadata	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 14:00
S52	1240	(pinning or pinned or lock$3) near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 14:24
S53	0	(pinning or pinned or lock$3) near5 (mass adj storage adj cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 14:14
S54	883	(pinning or pinned or lock$3) same (data near3 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 14:26
S55	474	(pinning or pinned or lock$3) with (data near3 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 14:47

S56	134	((non-volatile or NVS) adj cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 15:16
S57	1591	((pinning or pinned or lock$3) with cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 16:33
S58	15	(((non-volatile or NVS) adj cache)) and (((pinning or pinned or lock$3) with cache))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 16:34
S59	5	((pinning or pinned or lock$3) with ((((non-volatile or NVS) adj cache)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 15:00
S60	0	(((non-volatile or NVS) adj cache)) same ((LRU or (least adj recently adj used)) with (pinning or pinned or lock$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 15:15
S61	0	(((non-volatile or NVS) adj cache)) same ((LRU or (least adj recently adj used)) same (pinning or pinned or lock$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 16:42
S62	309	((LRU or (least adj recently adj used)) same (pinning or pinned or lock$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 15:16
S63	4	(non-volatile or NVS) same ((LRU or (least adj recently adj used)) same (pinning or pinned or lock$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 15:20
S64	621	(pinning or pinned or lock$3) with (boot-up or (boot adj up) or (power adj up) or (system adj initialization))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 15:36
S65	580	(pinning or pinned or lock$3) with ((boot-up or (boot adj up) or (power adj up) or (system adj initialization) near3 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 15:39

S66	6	(pinning or pinned or lock$3) with ((boot-up or (boot adj up) or (power adj up) or (system adj initialization)) near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 15:57
S67	2	"5974508".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/20 13:28
S68	2	"5913224".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 15:57
S69	2204	(lock$3 or pin$4) with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 16:17
S70	1758	(lock$3 or pin$4) near7 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 16:17
S71	1588	(lock$3 or pin$4) near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 16:18
S72	1183	(lock$3 or pin$4) near3 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 16:18
S73	921	(lock$3 or pin$4) near2 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 16:20
S74	481	(lock$3 or pin$4) near cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 16:26
S75	3	(lock$3 or pin$4) near3 ((non-volatile or NVS) adj cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 16:29

S76	4	(lock$3 or pin$4) near7 ((non-volatile or NVS) adj cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 16:29
S77	1921	((pinning or pinned or pin or lock$3) with cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 16:33
S78	15	(((non-volatile or NVS) adj cache)) and (((pinning or pinned or pin or lock$3) with cache))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/19 16:34
S79	13	(((non-volatile or NVS) adj cache)) and ((LRU or (least adj recently adj used)) and (pinning or pinned or lock$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/20 13:29
S80	1193	(pinning or pinned or pin or lock$3) with (boot-up or (boot adj up) or power-up or (power adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/20 13:35
S81	0	((pinning or pinned or pin or lock$3) with (boot-up or (boot adj up) or power-up or (power adj up))) same ((non-volatile or NVS) adj cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/20 13:36
S82	13	((pinning or pinned or pin or lock$3) with (boot-up or (boot adj up) or power-up or (power adj up))) same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/20 13:36
S83	2223	(pinning or pinned or pin or lock$3) with (initialization or initialized or initializing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/20 13:36
S84	1	((pinning or pinned or pin or lock$3) with (initialization or initialized or initializing)) same ((non-volatile or NVS) adj cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/20 13:36
S85	33	((pinning or pinned or pin or lock$3) with (initialization or initialized or initializing)) same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/20 14:10

S86	1	"20020174370".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/20 14:51
S87	524	(non-volatile or NVS) near3 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/20 14:52
S88	49	((non-volatile or NVS) near3 cache) same (mass adj storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/20 14:53
S89	4	metadata near3 (second adj memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/25 13:37
S90	2	"6256705".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/22 16:11
S91	0	"711"/$.ccls. and ELVID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/22 16:17
S92	0	"711"/$.ccls. and (ELVID or (enteprise adj logical adj volume))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/22 16:17
S93	1	"20020174370".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 15:48
S94	2	"20010043784".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 15:51
S95	3	"2000072328".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/24 15:51

S96	78	(((lock$3 or pin$4) same cache) same initializ$5) and "711"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:10
S97	10	(((lock$3 or pin$4) near3 cache) with initializ$5) and "711"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:50
S98	4	(((lock$3 or pin$4) near3 cache) with boot$3) and "711"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:44
S99	2	(((lock$3 or pin$4) near3 cache) with (startup or start-up or (start adj up))) and "711"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:49
S10 0	6	(((lock$3 or pin$4) near3 cache) with boot$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:26
S10 1	2	(((lock$3 or pin$4) near3 cache) with (startup or start-up or (start adj up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:49
S10 2	16	(((lock$3 or pin$4) near3 cache) with initializ$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:50
S10 3	1547	713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:26
S10 4	1189	713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:26
S10 5	19	713/2.ccls. and (cache same (lock$3 or pin$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:33

S10 6	34	713/1.ccls. and (cache same (lock$3 or pin$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:33
S10 7	12	713/1.ccls. and (cache with (lock$3 or pin$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 14:33
S10 8	2	"6463509".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:31
S10 9	2	"6044478".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:41
S11 0	2	"5974508".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 17:42

PLUS SEARCH

(4277826
4420807
5721956
5889996
5983310
6141732
6356996
6408384
6470424
6658522
4779189
6185663
4500954
4574346
4875155
5469562
5481699
5502833
5787242
5960454
6728153
5765022
6226695
6226695
6389427
4977498
5255384
6041377
5287481
5367659
5414827
5423019
5465360
5509138
5519831
5555423
5611078
5638506
5737604
5740353
5754789
5765192
5860138
5870602
5890186
5960198
6041389
6067595

6081844
6088770).pn.

IEEE *Xplore* ®
RELEASE 2.0

Welcome United States Patent and Trademark Office

Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "(((lock <or> pin) <paragraph> ((Initialization <or> bootup <or> startup <or> start-up <or> boot-up) <near/3> data) <paragraph> cache)<in>metadata)"   ☑ e-mail

Your search matched **0** of **1137806** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search

» **Key**

Modify Search

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

(((lock <or> pin) <paragraph> ((initialization <or> bootup <or> startup <or> start-up <o   »

☐ Check to search only within this results set

Display Format: ⦿ Citation   ○ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin

Help   Contact Us   Privacy & S

DialogWeb

Guided Search   new search | favorites | settings | order | cost | logoff | help

⬆ Top : ⬆ Science and Technology : ⬆ Research and Development : ⬆ Computers, Electronics, and Telecommunications :

Dynamic Search: Computers, Electronics, and Telecommunications

▶ Search History

save as alert...   save strategy only...

Select	Set	Searched for	In	Records
○	S1	(LOCK OR PIN)	Major topic fields only	75197
○	S2	Sort S1/1-500/PY,D	All subject words	500
○	S3	(INITIALIZATION OR BOOTUP OR BOOT-UP OR STARTUP OR START-UP) DATA Combined with set 2	All subject words	0
○	S4	INITIALIZATION DATA Combined with set 2	All subject words	0
○	S5	CACHE OR NONVOLATILE Combined with set 2	All subject words	3
○	S6	Sort S5/1-500/PY,D	All subject words	3
◉	S7	INITIALIZATION Combined with set 6	All subject words	0

See last 5 sets

show picklist...

▶ Search Form

run saved strategy

Search for [_____] In

[All subject words ▾]

☑ Within selected search history set

clear   search >>

▶ Database List

Database Name
- Inspec (1969-present) (File 2) ❶
- Wilson Applied Science & Technology Abstracts (File 99) ❶
- NTIS - National Technical Information Service (File 6) ❶
- Energy Science and Technology (File 103) ❶
- Ei Compendex® (File 8) ❶
- PASCAL (File 144) ❶
- SciSearch® - a Cited Reference Science Database - 1990- (File 34) ❶

Database Name
- Gale Group Computer Database(TM) (File 275) ❶
- Inside Conferences (File 65) ❶
- SciSearch® - a Cited Reference Science Database - 1974-1989 (File 434) ❶
- IHS International Standards and Specifications (File 92) ❶
- CMP Computer Fulltext (File 647) ❶
- JICST-EPlus - Japanese Science & Technology (File 94) ❶
- Computer News Fulltext (File 674) ❶